

PRODUCT BROCHURE

KERN FGE 10K-3S05

Date: 10.03.2026

ENGLISH



Precise design kitchen scale for kitchen, cafeteria, gastronomy

CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

Phone : +49 7433 9933-0
Fax : +49 7433 9933-149
Email : info@kern-sohn.com
Web : www.kern-sohn.com



Scan here for more
information

PRODUCT SHOWCASE



DESCRIPTION

- Easy and hygienic cleaning
- Weighing plate made out of safety glass
- Low overall height for secure footing and space-saving storage
- Secure and non-slip positioning with rubber feet
- Very easy to use 1 Button
- Comfortable taring with just one keystroke. For example, you can tare a bowl before starting a formulation. In addition, you can tare each time you weigh in a formulation ingredient, so that you can weigh in the next formulation ingredient with the weight indicated in the formula without having to do any calculations
- Integrated AUTO-OFF function to preserve the batteries
- Large high-contrasted display that is easy to read
- Delivered in single design packaging
- Note: The price given refers to a delivery of 5 items. Cannot be delivered individually with these models. The calibration prices given here refer to calibration of a single balance.

SPECIFICATIONS

Article codes, product groups & Status information

Model article-code	FGE 10K-3S05
Model-Serie	FGE

Assortment	KERN
Product Type	Food scales
Product group	Kitchen scales
Product usage type	Main article

EAN code (Model)	4045761248809
Customs tariff number	84238129
CE Label	yes
Country of Origin	CN

Technical data - Primary

Weighing capacity	15000 g
Readability	1 g

Technical data - Construction

Material weighing plate	glass
Weighing surface (d)	272×205 mm
Dimensions of weighing plate (W×D)	272×205 mm
Dimension completely mounted (W×D×H)	272×250×22 mm

Technical data - Display

Display height	22 mm
----------------	-------

Technical data - Power supply

Battery	3×1.5 V AAA
Operating time	25 h

Technical data - Measuring system

Calibration method	Adjusting with external weight
Linearity	± 75 g
Readability	1 g
Repeatability	20 g

Weighing units	g;lb;oz;ml;oz
Weighing system	Strain gauge

Technical data - Environmental conditions

Maximum humidity	80 %
Minimum humidity	0 %



Technical data - Packing & Shipping

Dimensions packaging (W×D×H)	315×315×150 mm
Gross weight	3.6 kg
Net weight	2.6 kg
Shipping method	Parcel service
UN number	ERRO
Packaging component - by weight - cardboard	500 g
Packaging component - by weight - styrofoam	500 g
Delivery time	1 d

Optional Services

DAkkS Calibration	963-128S05
-------------------	------------

FUNCTIONS

Standard	
Option	

ENGLISH

SERVICES

Model	Description
<u>969-517</u>	Confirmation of the manufacturer's specification (only in combination with DAkkS calibration certificate)969-517
<u>963-128S05</u>	DAkkS Calibration KERN 963-128S05
<u>961-248S05</u>	Adjustment at the location of installation 961-248S05