

# **SAUTER AFH 32**

Date: 29.01.2025

ENGLISH



# Image not available

AdapterSteel

---

### CONTACT

 Address

**KERN & SOHN GmbH**  
Ziegelei 1  
72336 Balingen  
Germany

 Phone and fax

Phone : +49 - [0] 7433 - 9933 - 0  
Fax : +49 - [0] 7433 - 9933 - 149

 Internet

Email : [info@kern-sohn.com](mailto:info@kern-sohn.com)  
Web : [www.kern-sohn.com](http://www.kern-sohn.com)

## DESCRIPTION

Adapter AFH 32

## SPECIFICATION

### Article codes, product groups & Status information



|                       |                                                   |
|-----------------------|---------------------------------------------------|
| Model article-code    | AFH 32                                            |
| Model-Serie           | FH                                                |
| Assortment            | Sauter                                            |
| Product Type          | Force measurement                                 |
| Product group         | Digital force-measuring devices (internal sensor) |
| Product usage type    | Spare part;Accessories/Services                   |
| EAN code (Model)      | 4045761225312                                     |
| Planned start date    | 2009-1HJ                                          |
| Customs tariff number | 85076000                                          |

### Technical data - Packing & Shipping

|                                            |                    |
|--------------------------------------------|--------------------|
| Dimensions packaging (W×D×H)               | 32×12×12 mm        |
| Gross weight                               | 0.05 kg            |
| Net weight                                 | 0.05 kg            |
| Shipping method                            | Parcel service     |
| UN number                                  | No dangerous goods |
| Packaging component - by weight - plastics | 10 g               |
| Delivery time                              | 1 d                |

## FUNCTIONS

Standard

## RELATED ARTICLES DATA

| Model name | Max. Force | Readability |
|------------|------------|-------------|
| RFC-4001   |            |             |
| BT-A01     |            |             |
| BT-A02     |            |             |
| BT-A03     |            |             |
| BT-A04     |            |             |
| RFL-1014   |            |             |
| RFL-4001   |            |             |
| AFH 32     |            |             |
| FC-A03     |            |             |
| RFL-2001   |            |             |
| RFK-4001   |            |             |
| RFL-1010   |            |             |
| RFL-1011   |            |             |
| RFL-1012   |            |             |
| RFL-1013   |            |             |
| FL-A10     |            |             |
| RFL-3001   |            |             |
| RFL-1004   |            |             |
| RFL-1005   |            |             |
| RFL-1006   |            |             |
| RFL-1007   |            |             |
| RFL-1008   |            |             |
| RFL-1009   |            |             |
| RFL-1001   |            |             |
| RFL-1002   |            |             |
| RFL-1003   |            |             |
| FL-A03     |            |             |
| FH-A02     |            |             |
| FH-A03     |            |             |
| AFH 30     |            |             |