


PRODUCT BROCHURE

SAUTER CS 3000-3Q1

Date: 22.09.2025

ENGLISH



6-wire "S" measuring cell made of nickel-plated steel for force and mass measurement

CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

Phone : +49 7433 9933-0
Fax : +49 7433 9933-149
Email : info@kern-sohn.com
Web : www.kern-sohn.com



Scan here for more
information

DESCRIPTION

- RoHS compliant
- Area of application: for tensile and compressive force measurement
- Suitable for hanging scales, weigh hoppers and other weighing devices as well as force measurement devices and test stands

SPECIFICATIONS

Article codes, product groups & Status information

Model article-code	CS 3000-3Q1
Model-Serie	CS Q1
Assortment	Sauter
Product Type	Measuring cells
Product group	S-shape load cells
Product usage type	Main item;Accessories/Services
EAN code (Model)	404576 1222038
Customs tariff number	90249000
CE Label	yes

Technical data - Primary

Force directions	compression;tension
OIML class	C3
Weighing capacity	3000 kg
Max (N)	30 kN

Technical data - Construction

IP Protection	IP67
Material	steel, nickel-plated

Dimensions (W×D×H)	120×100×45 mm
cable length	5 m
Mounting force in	Threaded hole M24 × 2
Mounting force out	Threaded hole M24 × 2

Technical data - Power supply

Excitation Voltage min.	10 V
Excitation Voltage max.	15 V

Technical data - Measuring system

Full scale output	2 mV/V
combined error	0,017%
load cell connection	6-Leiter
measuring applications	force;mass

Technical data - Packing & Shipping

Dimensions packaging (W×D×H)	220×135×100 mm
Gross weight	3.6 kg
Net weight	3.4 kg
Shipping method	Parcel service
Packaging component - by weight - cardboard	265 g

Packaging component - 42 g
by weight - foam

Delivery time 1 d

Technical data - Verification

Resolution loadcell (e) 3000 e

FUNCTIONS

Standard



Option



ENGLISH

ACCESSORIES

Model	Description
YKV-01	IoT-Line Digital Weighing Transmitter KERN YKV-01
CE R24	Rod end SAUTER CE R24
CE RR24	Rod end SAUTER CE RR24
CE Q24	Traction device SAUTER CE Q24
FS 406	Plug SAUTER FS 406
CE WT1-Y1	Analogue Weighing Transmitter SAUTER CE WT1-Y1
CE WT3-Y1	Analogue Weighing Transmitter SAUTER CE WT3-Y1
CE WT4-Y1	Analogue Weighing Transmitter SAUTER CE WT4-Y1
CE WT1-Y2	Analogue Weighing Transmitter SAUTER CE WT1-Y2
CE WT2-Y4	Analogue Weighing Transmitter SAUTER CE WT2-Y4
CE WT1-Y4	Analogue Weighing Transmitter SAUTER CE WT1-Y4

SERVICES

Model	Description
961-165	Factory calibration KERN 961-165

Model	Description
961-265	Factory calibration KERN 961-265
961-365	Factory calibration KERN 961-365
961-165V	Factory calibration KERN 961-165V
961-265V	Factory calibration KERN 961-265V
961-365V	Factory calibration KERN 961-365V
970-016	Warranty extension KERN (+3 years) 970-016

RELATED ARTICLES DATA

Model name	Force directions	OIML class	Weighing capacity	Max (N)
CS 100-3Q1	compression;tension	C3	100 kg	1 kN
CS 150-3Q1	compression;tension	C3	150 kg	1,5 kN
CS 200-3Q1	compression;tension	C3	200 kg	2 kN
CS 300-3Q1	compression;tension	C3	300 kg	3 kN
CS 500-3Q1	compression;tension	C3	500 kg	5 kN
CS 750-3Q1	compression;tension	C3	750 kg	7,5 kN
CS 1000-3Q1	compression;tension	C3	1000 kg	10 kN
CS 1500-3Q1	compression;tension	C3	1500 kg	15 kN
CS 2000-3Q1	compression;tension	C3	2000 kg	20 kN
CS 3000-3Q1	compression;tension	C3	3000 kg	30 kN
CS 5000-3Q1	compression;tension	C3	5000 kg	50 kN
CS 6000-3Q1	compression;tension	C3	6000 kg	60 kN
CS 50-3Q1	compression;tension	C3	50 kg	500 N