

Date: 18.03.2025

PRODUCT BROCHURE

KERN SET-22 Software EasyTouch SET-22 Difference

EasyTouch Difference - Difference weighing e.g. the growth of cell cultures

CONTACT

KERN & SOHN GmbH Ziegelei 1 72336 Balingen Germany Phone : +49 7433 9933-0 Fax : +49 7433 9933-149 Email : info@kern-sohn.com Web : www.kern-sohn.com



PRODUCT SHOWCASE



Object data					
Normalian States		Here Applicants Chicken Frank Applicants House		Unarrise / Isane OKUNU2929829	
Measurement data					
Manuscriteri arisa II DHF-0802024490983	Antonio contra a		Contract data Time 20224-10-08 10:09:0	Abert Sactor	
Bank Dat Al	Direction in the				
Centainer		Cartabar name		Officerica subpliquidarial (2014-10-00) seguit - seguit	
		Cartahar sam Cage 1		Difference uniplication of (2014-05-00) uniplication (2014-05-00) unip	
Centainer				(2024-10-00 seg/2 seg/1	
Centre 1/3		Capit		060g()467 %)	
Containe 1/3 1/3		Cape 1 (tape 1		000404012) 000404022 00040404023	
Contane 1/2 1/1 1/2		Cape 1 (tape 1		(2014-0)-00" sec[1-sec]1 (2014-0)-00" sec[1-sec]1 (2014-0]-000 %) (2014-0]-000 %)	

Comparison angles	English 🕥 Abert Save	
•		8
<u>۵</u>	Thank you for mighing the measurement series	
88	Difference measurement series ID - DIF-080002490083	
	and and and and and and and and	
0	Controls a with the second sec	
0-	The Automation	
	III Polatore	
		- No.



-	Detailed measurem							
~	Measurement series d	inte						
6	Name and Address of	Difference proce	dare name	Colorer term	Only (Bala) survive	Cost carrier	Connerin	iner.
m	041-04020249090	HENRINGH		Also.	0007648080607	Omposia	Weighing of the childen	Abert Sader
88	Curtainer details							
8	Cantainer 1/3 Cape 1		niner 273 Inge 3	Container 3./1 Cape 3				
0	Tare weight							
	Container & Collama	Container net aways	her weight	from weight	Albeit martners, 10	Partnersed data / lines	Referenceing	tited unighing invites
GF	(apr)	214	14	20 g		2004-10-08 (0.0810	Abetister	Menual tara applied
	Cape 2	214	04	20.6		2004-10-08 10/28/0	Albert Saular	Harve'tere applied
	Cape 3	214	04	20.6		2004-10-08 \$50810	Abetlade	Menual tara applied
	Consecutive weights 1							
	Container B. / Name	Not usight	face and get	from weight (0	Harved unight	Total applied unight ()	Million Annual y Th	Partnersed data / time
	Cape1	9604	10.04	101.04		160 g		2010/10/08 10:01:04
	Cape 2	960 g	10.14	1010.4		10.0 g		2014-10-0810-03

DESCRIPTION

- Note: Prerequisite for this set is the basic program SET-01 Base
- The difference function supports monitoring and evaluation of growth or change processes, as could occur, for example, in biological test sequences with cell cultures (monitoring). In this function, any number of sample carriers, e.g. Petri dishes with culture media can be defined, named and the corresponding initial weight recorded. The samples to be monitored are added to these sample carriers and the initial weights are recorded. Using the Difference function, these sample carriers can be weighed again and again at regular intervals. The Difference function automatically calculates the weight difference, i.e. the difference compared with the initial weight (e.g. the growth or other biological, chemical changes). These differences are saved and evaluated. Statistical evaluation of any differences can be downloaded as graphics and as data
- Graphical step-by-step instructions: The illustrated guide takes the user safely through the workflow when using difference weighing
- Repeating weighing sequences: Sample carriers with cell cultures can be weighed as often as required and can therefore be monitored for as long as you want
- Recalling the relevant sample carrier can be carried out either automatically, in accordance with the defined sequence, or manually using the ID number of the sample carrier, which can be scanned using a barcode, for



example. In this way, the risk of confusion and missed weighings is minimised

- Central master data memory: These weighing sequences can be stored in the memory of the system with the number of the containers (e.g. petri dishes), container IDs, ID number of the sequence, name of the sequence, batch name, etc.. In this way the data for this sequence does not have to be entered again for each repeated sequence, but can be easily recalled from the memory. The tare values for the petri dishes can also be stored in the master data memory. These are then automatically deducted from each weighing result
- Efficient weighing and saving of individual results: Sample holders can be stored with an ID number which can be scanned as a barcode to identify the correct sample holder

Options

 The central data memory function Save Server (SET-10) for additional storage of all measurement data in a central, local server directory. By doing this the measurement data of all connected EasyTouch weighing systems as well as from all installed EasyTouch functions will be stored. A particular benefit of doing this for those users with several weighing systems is that all weighing data is consolidated in just one database and you can search for individual measurement data from several balances in just one table. The Save Server data memory is also tamper-proof and cannot be changed

License information

- Licensing: One license can be operated on up to four terminal devices (PC, laptop, tablet) at the same time, working independently
- User: You can store as many users as you need in one license
- Balances: You can store and operate as many balances as you need in one license
- Communication between balance/terminal device: The balance(s) can communicate with the PC, laptop or tablet by serial connection, USB, Bluetooth, Ethernet or WiFi

SPECIFICATIONS

Article codes, product groups & Status information

Model article-code	SET-22
Model-Serie	ETS
Assortment	KERN
Product Type	Software
Product group	EasyTouch
Product usage type	Main item;Accessories/Servic es

EAN code (Model)	4045761360433
Predecessor Model	SET-22-2021a
Customs tariff number	85234910

Technical data - Packing & Shipping

Delivery time

1 d

FUNCTIONS

Standard

PRODUCT BROCHURE

KERN SET-22





Option



SOFTWARES

Model	Description
SET-14	KERN EasyTouch SET-14 Individual Print