


PRODUCT BROCHURE

SAUTER CS 2-Y1

Date: 29.04.2025

ENGLISH



Miniature "S"-load/force measuring cell made of stainless steel

CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

Phone : +49 7433 9933-0
Fax : +49 7433 9933-149
Email : info@kern-sohn.com
Web : www.kern-sohn.com



Scan here for more
information

PRODUCT SHOWCASE



DESCRIPTION

- High precision (comprehensive error 0,05% F.S.)
- RoHS compliant
- Area of application: Tensile and compressive applications, mass and force measurement
- Suitable for force test stands, hanging scales, silo scales and various other balances

SPECIFICATIONS

Article codes, product groups & Status information

Model article-code	CS 2-Y1
Model-Serie	CS Y1
Assortment	Sauter
Product Type	Measuring cells
Product group	S-shape load cells
Product usage type	Main item;Accessories/Services
EAN code (Model)	404576 1233 119
Customs tariff number	90249000
CE Label	yes

Technical data - Primary

Force directions	compression;tension
Weighing capacity	2 kg
Max (N)	20 N

Technical data - Construction

IP Protection	IP65
Material	stainless steel
cable length	2 m
Mounting force in	Threaded hole M3
Mounting force out	Threaded hole M3

Technical data - Power supply

Excitation Voltage min.	5 V
Excitation Voltage max.	10 V

Technical data - Measuring system

Full scale output	2 mV/V
combined error	0,05%
load cell connection	4-guide
measuring applications	force;mass

Technical data - Environmental conditions

Usage Temperature (min)	-30 °C
Usage temperature (max)	70 °C

Technical data - Packing & Shipping

Dimensions packaging (W×D×H)	150×105×40 mm
Gross weight	0.10 kg
Net weight	0.05 kg
Shipping method	Parcel service
Packaging component - by weight - cardboard	33 g
Packaging component - by weight - plastics	3 g
Packaging component - by weight - foam	11 g
Delivery time	1 d

Standard



Option



FUNCTIONS

ACCESSORIES

Model	Description
FS TKZ	Transport case SAUTER FS TKZ
CE WT4-Y1	Analogue Weighing Transmitter SAUTER CE WT4-Y1

SERVICES

Model	Description
963-161	DAkkS Calibration KERN 963-161
961-161	Factory calibration KERN 961-161
961-261	Factory calibration KERN 961-261
961-361	Factory calibration KERN 961-361
963-261	DAkkS Calibration KERN 963-261
963-361	DAkkS Calibration KERN 963-361
FS 402	Plug SAUTER FS 402
963-161V	DAkkS Calibration KERN 963-161V
963-261IV	DAkkS Calibration KERN 963-261IV
963-261V	DAkkS Calibration KERN 963-261V
963-361IV	DAkkS Calibration KERN 963-361IV
963-361V	DAkkS Calibration KERN 963-361V
970-015	Warranty extension KERN (+3 years) 970-015

RELATED ARTICLES DATA

Model name	Force directions	Weighing capacity	Max (N)
CS 1-Y1	compression;tension	1 kg	10 N
CS 2-Y1	compression;tension	2 kg	20 N
CS 5-Y1	compression;tension	5 kg	50 N
CS 10-Y1	compression;tension	10 kg	100 N
CS 20-Y1	compression;tension	20 kg	200 N