

Date: 19.03.2025

PRODUCT BROCHURE

KERN 315-205-101



Safety Set 20 g (F1); 1 g (E2)

CONTACT

KERN & SOHN GmbH Ziegelei 1 72336 Balingen Germany
 Phone
 : +49 7433 9933-0

 Fax
 : +49 7433 9933-149

 Email
 : info@kern-sohn.com

 Web
 : www.kern-sohn.com



PRODUCT SHOWCASE



DESCRIPTION

- These "KERN Safety Sets" each contain one test weight for testing the sensitivity, i.e. the correct adjustment of your balance as well as a small test weight to test the lower end of the weighing range, the so-called minimum sample weight
- As an option, the "KERN Safety Set" has space for another test weight, for testing your balance at a weight which is relevant for you
- Useful accessories which have been selected to suit that particular "KERN Safety Set", such as, for example, special gloves, tweezers, weight grips, brushes, etc. will assist you in handling your test weights properly
- Stored in the practical protective case next to your balance, you can check and ensure the high precision of your balance at any time

SPECIFICATIONS

Article codes, product groups & Status information

Model article-code	315-205-101
Model-Serie	315
Assortment	KERN
Product Type	Test weights
Product group	Safety sets
Product usage type	Main item;Accessories/Servic es

EAN code (Model)	4045761223363
Customs tariff number	84239090

Technical data - Measuring system

Nominal weights, included	20 g (F1); 1 g (E2)
Nominal value	20 g & 1 g
OIML class	E2;F1

Technical data - Packing & Shipping

KERN 315-205-101

Dimensions packaging (W×D×H)	150×115×70 mm
Gross weight	1.00 kg
Net weight	0.50 kg
Shipping method	Parcel service
Packaging component - by weight - plastics	500 g
Delivery time	1 d

Technical data - Verification

Verification possible yes

Optional Services

DAkkS Calibration 962-300-400

FUNCTIONS

Standard



SERVICES

Model	Description
952-331	Verification KERN 952-331
921-331	Guaranteed Plus-deviation (? +1/3 OIML) KERN 921-331
962-300-400	DAkkS Calibration KERN 962-300-400

SPARE PARTS

Model	Description
315-242	Tweezers KERN 315-242

