

PRODUCT BROCHURE

KERN 333-086

Date: 10.03.2026

ENGLISH



Weight set, F2, 1 mg - 5 kg, Knob, stainless steel fine turned, in aluminium case

CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

Phone : +49 7433 9933-0
Fax : +49 7433 9933-149
Email : info@kern-sohn.com
Web : www.kern-sohn.com



Scan here for more
information

Figure 1: Schematic representation of the experimental design. The figure shows two rows of icons representing different concentrations of a substance. The top row shows concentrations from 1 to 1000 mg, with icons for 1, 2, 5, 10, 20, 50, 100, 200, 500, and 1000 mg. The bottom row shows concentrations from 1 to 1000 mg, with icons for 1, 2, 5, 10, 20, 50, 100, 200, 500, and 1000 mg. Below the icons, a table lists the concentrations and their corresponding Z-scores. The Z-scores are calculated as $Z = \frac{mg - 100}{100}$. The table shows that for concentrations 1, 2, 5, 10, 20, 50, 100, 200, 500, and 1000 mg, the Z-scores are -2.1, -1.9, -1.7, -1.5, -1.3, -1.1, -0.9, -0.7, -0.5, and -0.3, respectively. The Z-scores for concentrations 1, 2, 5, 10, 20, 50, 100, 200, 500, and 1000 mg are -2.1, -1.9, -1.7, -1.5, -1.3, -1.1, -0.9, -0.7, -0.5, and -0.3, respectively.

Dimensions packaging (W×D×H)	460×260×200 mm
Gross weight	18 kg
Net weight	13 kg
Shipping method	Parcel service
Packaging component - by weight - plastics	5.4 kg
Delivery time	1 d

Optional Services

DAkkS Calibration	962-407
-------------------	---------

FUNCTIONS

Standard



Option



SERVICES

Model	Description
<u>962-407</u>	DAkkS Calibration KERN 962-407
<u>962-407R</u>	DAkkS Recalibration KERN 962-407R
<u>921-407</u>	Guaranteed Plus-deviation (? +1/3 OIML) KERN 921-407
<u>920-708</u>	Marking (Last digits of serial number) KERN 920-708

SPARE PARTS

Model	Description
<u>313-080-600</u>	Aluminium Protective Box KERN 313-080-600