


PRODUCT BROCHURE

SAUTER CS 50-3Q1

Date: 22.09.2025

ENGLISH



6-wire "S" measuring cell made of nickel-plated steel for force and mass measurement

CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

Phone : +49 7433 9933-0
Fax : +49 7433 9933-149
Email : info@kern-sohn.com
Web : www.kern-sohn.com



Scan here for more
information

DESCRIPTION

- RoHS compliant
- Area of application: for tensile and compressive force measurement
- Suitable for hanging scales, weigh hoppers and other weighing devices as well as force measurement devices and test stands

SPECIFICATIONS

Article codes, product groups & Status information

Model article-code	CS 50-3Q1
Model-Serie	CS Q1
Assortment	Sauter
Product Type	Measuring cells
Product group	S-shape load cells
Product usage type	Main item;Accessories/Services
EAN code (Model)	404576 1222076
Customs tariff number	90249000
CE Label	yes

Technical data - Primary

Force directions	compression;tension
OIML class	C3
Weighing capacity	50 kg
Max (N)	500 N

Technical data - Construction

IP Protection	IP67
Material	steel, nickel-plated

Dimensions (W×D×H)	80×62,1×19 mm
cable length	5 m
Mounting force in	threaded hole M12
Mounting force out	Threaded hole M12

Technical data - Power supply

Excitation Voltage min.	10 V
Excitation Voltage max.	15 V

Technical data - Measuring system

Full scale output	2 mV/V
combined error	0,017%
load cell connection	6-Leiter
measuring applications	force;mass

Technical data - Packing & Shipping

Dimensions packaging (W×D×H)	250×155×60 mm
Gross weight	0.90 kg
Net weight	0.80 kg
Shipping method	Parcel service
Packaging component - by weight - cardboard	242 g

Packaging component - 5 g
by weight - plastics

Delivery time 1 d

Technical data - Verification

Resolution loadcell (e) 3000 e

FUNCTIONS

Standard



Option



ACCESSORIES

Model	Description
YKV-01	IoT-Line Digital Weighing Transmitter KERN YKV-01
CE R12	Rod end SAUTER CE R12
CE RR12	Rod end SAUTER CE RR12
CE Q12	Traction device SAUTER CE Q12
AFM 16	Adapter KERN AFM 16
AFM 17	Thread SAUTER AFM 17
AFM 18	Thread SAUTER AFM 18
AFM 19	Sleeve SAUTER AFM 19
AFM 21	Thread SAUTER AFM 21
FS 403	Plug SAUTER FS 403
FS TKZ	Transport case SAUTER FS TKZ
CE WT1-Y1	Analogue Weighing Transmitter SAUTER CE WT1-Y1
CE WT3-Y1	Analogue Weighing Transmitter SAUTER CE WT3-Y1
CE WT4-Y1	Analogue Weighing Transmitter SAUTER CE WT4-Y1

Model	Description
CE WT1-Y2	Analogue Weighing Transmitter SAUTER CE WT1-Y2
CE WT2-Y4	Analogue Weighing Transmitter SAUTER CE WT2-Y4
CE WT1-Y4	Analogue Weighing Transmitter SAUTER CE WT1-Y4

SERVICES

Model	Description
963-161	DAkkS Calibration KERN 963-161
961-161	Factory calibration KERN 961-161
961-261	Factory calibration KERN 961-261
961-361	Factory calibration KERN 961-361
963-261	DAkkS Calibration KERN 963-261
963-361	DAkkS Calibration KERN 963-361
963-161V	DAkkS Calibration KERN 963-161V
963-261IV	DAkkS Calibration KERN 963-261IV
963-261V	DAkkS Calibration KERN 963-261V
963-361IV	DAkkS Calibration KERN 963-361IV
963-361V	DAkkS Calibration KERN 963-361V
970-014	Warranty extension KERN (+3 years) 970-014

RELATED ARTICLES DATA

Model name	Force directions	OIML class	Weighing capacity	Max (N)
CS 100-3Q1	compression;tension	C3	100 kg	1 kN
CS 150-3Q1	compression;tension	C3	150 kg	1,5 kN
CS 200-3Q1	compression;tension	C3	200 kg	2 kN
CS 300-3Q1	compression;tension	C3	300 kg	3 kN
CS 500-3Q1	compression;tension	C3	500 kg	5 kN
CS 750-3Q1	compression;tension	C3	750 kg	7,5 kN
CS 1000-3Q1	compression;tension	C3	1000 kg	10 kN
CS 1500-3Q1	compression;tension	C3	1500 kg	15 kN
CS 2000-3Q1	compression;tension	C3	2000 kg	20 kN
CS 3000-3Q1	compression;tension	C3	3000 kg	30 kN
CS 5000-3Q1	compression;tension	C3	5000 kg	50 kN

Model name	Force directions	OIML class	Weighing capacity	Max (N)
CS 6000-3Q1	compression;tension	C3	6000 kg	60 kN
CS 50-3Q1	compression;tension	C3	50 kg	500 N