

## PRODUCT BROCHURE

---

# SAUTER CR 60-3P1

Date: 18.03.2025

ENGLISH



Loadcell made of stainless steel

---

## CONTACT

KERN & SOHN GmbH

Ziegelei 1

72336 Balingen

Germany

Phone : +49 7433 9933-0

Fax : +49 7433 9933-149

Email : [info@kern-sohn.com](mailto:info@kern-sohn.com)

Web : [www.kern-sohn.com](http://www.kern-sohn.com)

## DESCRIPTION

- RoHS compliant
- Area of application: Measuring mass as well as compressive force
- Suitable for weighbridges, handing scales, silo scales and other types of balances, test stands, etc.

## SPECIFICATIONS

### Article codes, product groups & Status information

Model article-code	CR 60-3P1
Model-Serie	CR P1
Assortment	Sauter
Product Type	Measuring cells
Product group	Load cells
Product usage type	Main item;Accessories/Services
EAN code (Model)	4045761226883
Customs tariff number	90249000
CE Label	yes

### Technical data - Primary

Force directions	compression
OIML class	C3
Weighing capacity	60 kg
Max (N)	600 N

### Technical data - Construction

IP Protection	IP68
Material	stainless steel
cable length	3 m

Mounting force in	Thrust piece D=15 in bore (customer side)
Mounting force out	3x Gewindebohrung M5

### Technical data - Power supply

Excitation Voltage min.	10 V
Excitation Voltage max.	15 V

### Technical data - Measuring system

Full scale output	1 mV/V
combined error	0,023%
load cell connection	4-guide
measuring applications	force;mass

### Technical data - Environmental conditions

Usage Temperature (min)	-10 °C
Usage temperature (max)	40 °C

### Technical data - Packing & Shipping

Dimensions packaging (W×D×H)	220×180×60 mm
Gross weight	0.60 kg
Net weight	0.40 kg

Shipping method Parcel service

Packaging component -  
by weight - cardboard 215 g

Delivery time 4 d

## Technical data - Verification

Resolution loadcell (e) 3000 e

## FUNCTIONS

Standard



Option



## ACCESSORIES

Model	Description
CJ P2	Junction Box SAUTER CJ P2
CJ P4PG	Junction Box SAUTER CJ P4PG
CJ P4	Junction Box SAUTER CJ P4
FS TKZ	Transport case SAUTER FS TKZ

## SERVICES

Model	Description
961-262	Factory calibration KERN 961-262
963-262	DAkkS Calibration KERN 963-262
FS 403	Plug SAUTER FS 403
963-262IV	DAkkS Calibration KERN 963-262IV
963-262V	DAkkS Calibration KERN 963-262V
970-105	Warranty extension KERN (+2 years) 970-105

## RELATED ARTICLES DATA

Model name	Force directions	OIML class	Weighing capacity	Max (N)
CR 60-3P1	compression	C3	60 kg	600 N
CR 130-3P1	compression	C3	130 kg	1,3 kN
CR 500-3P1	compression	C3	500 kg	5 kN
CR 250-3P1	compression	C3	250 kg	2,5 kN
CR 1000-3P1	compression	C3	1000 kg	10 kN
CR 2000-3P1	compression	C3	2000 kg	20 kN