

PRODUCT SHOWCASE



ENGLISH

DESCRIPTION

- Easy and hygienic cleaning
- Low overall height for secure footing and space-saving storage
- Secure and non-slip positioning with rubber feet
- Very easy to use: 2 Buttons
- Comfortable taring with just one keystroke. For example, you can tare a bowl before starting a formulation. In addition, you can tare each time you weigh in a formulation ingredient, so that you can weigh in the next formulation ingredient with the weight indicated in the formula without having to do any calculations
- Integrated AUTO-OFF function to preserve the batteries
- Large high-contrasted display that is easy to read
- Delivered in single design packaging

SPECIFICATIONS

Article codes, product groups & Status information

Model article-code	FGE 5K-3
Model-Serie	FGE
Assortment	KERN
Product Type	Food scales

Product group	Kitchen scales
Product usage type	Main article
EAN code (Model)	4045761248243
Customs tariff number	84238129
CE Label	yes
Country of Origin	CN

Technical data - Primary

Weighing capacity	5000 g
Readability	1 g

Technical data - Construction

Material weighing plate	acrylic
Weighing surface (d)	152×230 mm
Dimensions of weighing plate (W×D)	152×230 mm
Dimension completely mounted (W×D×H)	152×230×15 mm

Technical data - Display

Display height	18 mm
----------------	-------

Technical data - Power supply

Battery	2×CR2032
Operating time	13 h

Technical data - Measuring system

Calibration method	Adjusting with external weight
Linearity	± 15 g
Readability	1 g
Repeatability	15 g
Weighing units	fl.oz;g;lb:oz;ml
Weighing system	Strain gauge

Technical data - Environmental conditions

Maximum humidity	80 %
Minimum humidity	0 %

Technical data - Packing & Shipping

Dimensions packaging (W×D×H)	230×180×35 mm
Gross weight	0.50 kg
Net weight	0.35 kg
Shipping method	Parcel service
UN number	3091
Packaging component - by weight - cardboard	60 g
Packaging component - by weight - styrofoam	60 g
Delivery time	1 d

Optional Services

DAkkS Calibration	963-127
-------------------	---------

FUNCTIONS

Standard



Option



ACCESSORIES

Model	Description
<u>346-76</u>	Test Weight KERN 346-76

SERVICES

Model	Description
<u>963-127</u>	DAkkS Calibration KERN 963-127
<u>961-247</u>	Adjustment at the location of installation 961-247
<u>969-517</u>	Confirmation of the manufacturer's specification (only in combination with DAkkS calibration certificate)969-517
<u>970-010</u>	Warranty extension KERN (+3 years) 970-010