

PRODUCT BROCHURE

KERN YRO-01

Date: 17.03.2025

ENGLISH



Roller Conveyor KERN YRO-01

CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

Phone : +49 7433 9933-0
Fax : +49 7433 9933-149
Email : info@kern-sohn.com
Web : www.kern-sohn.com

PRODUCT SHOWCASE



DESCRIPTION

- Through the smooth-running KERN roller conveyor attachments, KERN YRO, you can convert your platform scale into a robust measuring system for rapid and flexible weight determination in conveyor applications
- Especially suitable for use in production and dispatch lines, where time means money. The goods or packages can either be weighed as they pass over the balance or, at fixed stations, heavy goods can easily be pushed onto the scale thanks to the roller conveyor and moved onto the connected roller conveyor
- Simply connect the roller conveyor attachment to a platform (e.g. KERN IFB, IFS, IFS, KFP, KXP, SXS) – done!
- Robust aluminium profile frame. The modular design means that you can easily disassemble it for cleaning or to replace individual components
- Smooth-running, hot-dip galvanised steel rollers with ball bearings
- Conductive track rollers
- Suitable for use in dry environments
- Roller distance approx. 30 mm
- Direction of movement is lengthways
- Scope of delivery: 1 roller conveyor attachment (without scale)

SPECIFICATIONS

Article codes, product groups & Status information

Model article-code	YRO-01
Model-Serie	YRO

Assortment	KERN
Product Type	Industrial scales
Product group	Platform scales
Product usage type	Accessories/DL
EAN code (Model)	4045761190276

Customs tariff number 84239010

Technical data - Primary

Net weight	5.8 kg
Platform size	400×300 mm
Dimensions weighing platform	400×300×130 mm

Technical data - Construction

Dimensions device	405×305×130 mm
Weighing surface (d)	400×300 mm
Dimensions of weighing plate (W×D)	400×300 mm

Technical data - Packing & Shipping

Dimensions packaging (W×D×H)	400×300×100 mm
Gross weight	7 kg
Net weight	6 kg
Shipping method	Parcel service
Packaging component - by weight - plastics	400 g
Delivery time	1 d

FUNCTIONS

Standard

