



Fast testing of the stability of tombstones in accordance with VSG 4.7

SAUTER FA-G

- Pressure disc with foam rubber attachment
- Stainless steel handle with rubber covering for secure handling
- No electrical power supply required due to mechanical measuring system
- Real time or peak hold switch to observe transients or capture peaks by a drag indicator
- For tensile force and compressive force measurements
- Scope of delivery:
 - 1× FA 500
 - 1× AE 08
 - 1× AFH 04




SAUTER FL-G

- Ideal for the documented certification of specialist stone-cutter companies
- Rechargeable battery with long operating time (significantly more than 8 hours), so it is possible to use the device for a whole working day, in mobile mode
- Function to set limits: This is where you can program a stability limit value. If this limit value is exceeded, the device emits a visual signal. In this way, the measuring result does not need to be read off each time
- Wide pressure plate with foam rubber surface, so that the tombstone does not get scratched when force is applied
- Robust metal housing for permanent use under harsh environmental conditions
- Scope of delivery:
 - 1× FL 500/FL 1K
 - 1× AE 08
 - 1× AFH 04

SAUTER FS-G

- Through the internal and also external measuring cell it can also be used for more than just tombstone testing
- 3,5" touchscreen with touch pen
- USB interface for data transfer and power supply as standard
- Internal device memory (16 GB)
- Tolerance function
- Track function for continuous measurement display
- Peak value measurement
- Scope of delivery:
 - 1× FS 2-500
 - 1× AE 08
 - 1× AFK 02

Discover more details and matching accessories online!



SAUTER	FA 500G	FL 500G	FL 1KG	FS 500G
Measuring range [Max] N	500	500	1000	500
Readout[d] N	2,5	0,2	0,5	0,1
Measuring precision of [Max]	1 %	0,2 %	0,2 %	0,1 %
Overload protection of [Max]	150 %	120 %	120 %	150 %
Option				
Factory calibration certificate	Tensile Force 961-1610 Compressive Force 961-2610 Tensile/Compressive force 961-3610	961-161 961-261 961-361	961-162 961-262 961-362	961-161 961-261 961-361
Option				
Calibration certificate	Tensile Force - Compressive Force -	963-161 963-261	963-162 963-262	963-161 963-261
DAkkS accr.	Tensile/Compressive force -	963-361	963-362	963-361