

PRODUCT BROCHURE

KERN 315-306-102

Date: 19.03.2025

ENGLISH



Safety Set 50 g (F2); 2 g (E2)

CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

Phone : +49 7433 9933-0
Fax : +49 7433 9933-149
Email : info@kern-sohn.com
Web : www.kern-sohn.com

PRODUCT SHOWCASE



DESCRIPTION

- These “KERN Safety Sets” each contain one test weight for testing the sensitivity, i.e. the correct adjustment of your balance as well as a small test weight to test the lower end of the weighing range, the so-called minimum sample weight
- As an option, the “KERN Safety Set” has space for another test weight, for testing your balance at a weight which is relevant for you
- Useful accessories which have been selected to suit that particular “KERN Safety Set”, such as, for example, special gloves, tweezers, weight grips, brushes, etc. will assist you in handling your test weights properly
- Stored in the practical protective case next to your balance, you can check and ensure the high precision of your balance at any time

SPECIFICATIONS

Article codes, product groups & Status information

Model article-code	315-306-102
Model-Serie	315
Assortment	KERN
Product Type	Test weights
Product group	Safety sets
Product usage type	Main item;Accessories/Services

EAN code (Model) 4045761223370

Customs tariff number 84239090

Technical data - Measuring system

Nominal weights, included 50 g (F2); 2 g (E2)

Nominal value 2 g & 50 g

OIML class E2;F2

Technical data - Packing & Shipping

Dimensions packaging (W×D×H)	150×115×70 mm
Gross weight	1.00 kg
Net weight	0.50 kg
Shipping method	Parcel service
Packaging component - by weight - plastics	500 g
Delivery time	1 d

Technical data - Verification

Verification possible	yes
-----------------------	-----

Optional Services

DAkkS Calibration	962-300-400
-------------------	-------------

FUNCTIONS

Standard



SERVICES

Model	Description
921-332	Guaranteed Plus-deviation (? +1/3 OIML) KERN 921-332
962-300-400	DAkkS Calibration KERN 962-300-400

SPARE PARTS

Model	Description
315-242	Tweezers KERN 315-242